



The VARYA collection comprises an extensive range of chairs, armchairs, stools and benches. The seat shell is available in thermoplastic in twelve colours and also upholstered in three different ways. The collection is generated by combining comfortable seats and different metallic or wooden bases.

The broad variety of bases, together with the extensive range of available finishes, allows for endless customization possibilities without altering the unique character and timeless spirit of these original chairs designed for inhabiting diverse settings and contexts in spaces for collective use, workspaces or private residences.

## DESIGNER: Simon Pengelly




Simon Pengelly was born in Henley in the UK in 1967. When he was eight he started making furniture in his father's furniture workshop and won a prize for cabinetmaking at the age of 15. He went on to study at Rycotewood College and Kingston Polytechnic. Pengelly started his professional career as a designer at Conran Design Group. Moving on to Habitat's design team in 1990 and later coordinating the design and development of their furniture range as a freelancer in the late 90's. Pengelly set up his London based studio in 1993 and the studio now works for renowned firms in the UK, Spain, Italy, Holland, Scandinavia and the United States. Pengelly's understanding of how people use and relate to the objects around them and his affinity with materials and manufacturing processes, combined with a passionate desire to create production furniture with 'soul', has resulted in award-winning furniture that contains a wonderful mix of understated design, timeless spirit and clever engineering

## ERGONOMIC SEAT MONOSHELL

Composition: Polypropylene reinforced with glass fibre.  
Surface finish: the monoshell is available in 12 colours with a matt non-slip texture on both sides. It can be produced in other colours for special projects.

## PLASTIC COLOURS



## UPHOLSTERY



### Fixed upholstered seat panel

Seat interior made from polypropylene covered in high-resilience flexible CMHR polyurethane foam 15mm thick. The foam density is 35 kg/m<sup>3</sup>.  
Upholstery: Available in any of the fabrics and leathers of the INCLASS sample book and also with any fabrics supplied or specified by the customer.  
The upholstered panel is affixed to the shell with 4 screws.



### Soft seat cushion with removable cover

Inner cushion panel made from polypropylene covered in soft polyester fibre. The cushion cover comes with a zipper so that it can be removed for maintenance. The cushion is not attached to the seat but there is the possibility of affixing it with Velcro.  
**Upholstery:** Available in any of the fabrics and leathers of the INCLASS sample book and also with fabrics supplied or specified by the customer.

## STRUCTURES

### Stackable four-leg chair:

The structure is made from 16mm round steel tube 2mm thick, with high proof strength.

**Finishes:** in thermoset polyester powder paint in any of the colours of the INCLASS metallic swatch card or in chrome.

**Pads:** includes self-levelling plastic pads in contact with the floor. They can be optionally fitted with felt-lined pads, suitable for hard and delicate surfaces.

**Stackability:** This version is stackable

### Four-leg non-stackable chair:

The structure is made from 16mm round steel tube 2mm thick, with high proof strength.

**Finishes:** in thermoset polyester powder paint in any of the colours of the INCLASS metallic swatch card or in chrome.

**Pads:** includes self-levelling plastic pads in contact with the floor. They can be optionally fitted with felt-lined pads, suitable for hard and delicate surfaces.

### Four-leg armchair:

The structure is made from 16mm round steel tube 2mm thick, with high proof strength.

**Finishes:** in thermoset polyester powder paint in any of the colours of the INCLASS metallic swatch card or in chrome.

**Pads:** includes self-levelling plastic pads in contact with the floor. They can be optionally fitted with felt-lined pads, suitable for hard and delicate surfaces.

**Stackability:** This version is stackable

### Rod-foot chair:

The structure is made from 12mm solid steel rod.

**Finishes:** in thermoset polyester powder paint in any of the colours of the INCLASS metallic swatch card or in chrome.

**Pads:** includes standard plastic pads in contact with the floor. To keep them from detaching, the pads are affixed to the structure with screws. They can be optionally fitted with felt-lined pads, suitable for hard and delicate surfaces.

**Stackability:** This version is stackable

### Rod-foot armchair:

The structure is made from 12mm and 14mm solid steel rod. The armrests are in polypropylene and can be finished in a black, white or grey colour.

**Finishes:** in thermoset polyester powder paint in any of the colours of the INCLASS metallic swatch card or in chrome.

**Pads:** includes standard plastic pads in contact with the floor. To keep them from detaching, the pads are affixed to the structure with screws. They can be optionally fitted with felt-lined pads, suitable for hard and delicate surfaces.

**Stackability:** This version is stackable

### Steel four-spoke swivel base:

It is made from 18mm reinforced steel tube.

**Finishes:** in thermoset polyester powder paint in any of the colours of the INCLASS metallic swatch card or in chrome.

**Pads:** includes self-levelling plastic pads in contact with the floor. They can be optionally fitted with felt-lined pads, suitable for hard and delicate surfaces.

**Arms:** this base can be fitted with arms made from 16mm steel tube.

### Aluminium four-spoke swivel base:

Swivel base made from cast aluminium alloy. Fitted with fixed felt stops in contact with the floor.

**Finishes:** Available in a polished finish or coated in thermoset polyester paint in a black or white colour.

**Arms:** This base can be fitted with arms made from 16mm steel tube.

### Aluminium four-spoke swivel base on castors:

Swivel base made from cast aluminium alloy. Fitted with double soft-tread castors with a 65mm diameter, in contact with the floor.

**Base finishes:** available in a polished finish or coated in thermoset polyester paint in a black or white colour.

### Wooden four-leg base:

Structure made from solid steel tube and rod. Finished in thermoset polyester paint in a grey or white colour.

**Legs:** solid oak wood legs 35mm in diameter. They can be finished in all the colours for oak wood from the INCLASS swatch card.

**Pads:** fitted with felt pads in contact with the floor.

### Fixed four-leg stool:

The structure is made from 16mm round steel tube 2mm thick, with high proof strength. The footrest is made from 12mm solid steel rod.

**Finishes:** in thermoset polyester powder paint in any of the colours of the INCLASS metallic swatch card or in chrome.

**Pads:** includes self-levelling plastic pads in contact with the floor. They can be optionally fitted with felt-lined pads, suitable for hard and delicate surfaces.

**Stackability:** the stool is not stackable.

The stool is produced in two heights.

### Rod-foot stool:

The structure and footrest are made from 12mm solid steel rod.

**Finishes:** in thermoset polyester powder paint in any of the colours of the INCLASS metallic swatch card or in chrome.

**Pads:** includes standard plastic pads in contact with the floor. To keep them from detaching, the pads are affixed to the structure with screws. They can be optionally fitted with felt-lined pads, suitable for hard and delicate surfaces.

**Stackability:** the stool is not stackable.

The stool is produced in two heights.

### Four-spoke swivel stool:

The structure is made from 16mm round steel tube 2mm thick, with a high proof strength. The footrest is made from 12mm solid steel rod.

**Finishes:** in thermoset polyester powder paint in any of the colours of the INCLASS metallic swatch card or in chrome.

**Pads:** includes self-levelling plastic pads in contact with the floor. They can be optionally fitted with felt-lined pads, suitable for hard and delicate surfaces.

**Stackability:** the stool is not stackable.

The stool is produced in two heights.

### Wooden four-leg stool:

Structure made from solid steel tube and rod. Finished in thermoset polyester paint in a grey or white colour.



**Footrest ring:** made from 12mm solid steel rod finished in matt chrome.





**Legs:** solid oak wood legs 35mm in diameter. They can be finished in all the colours for oak wood from the INCLASS swatch card.



**Pads:** fitted with felt pads in contact with the floor.

**Stackability:** the stool is not stackable.

The stool is produced in two heights.




	Height	Seat height	Arm height	Width	Seat width	Depth	Seat depth	Weight (kg)
 <p>VARO020</p>	81	44	—	55,5	46,5	50	42	6,1
 <p>VARO028</p>	81	44	54	55,5	46,5	50	42	6,9

	Height	Seat height	Arm height	Width	Seat width	Depth	Seat depth	Weight (kg)
 <p>VAR0010</p>	81	44	—	57	46,5	51,5	42	4,7
 <p>VAR0015</p>	81	44	—	48	46,5	50	42	4,3
 <p>VAR0018</p>	81	44	54	57	46,5	51,5	42	5,6
 <p>VAR0050</p>	81	44	—	48	46,5	50	42	6,1
 <p>VAR0075</p>	101	75	—	45,5	41	48	38	5,6
 <p>VAR0070</p>	91	65	—	42	41	45	38	5,4


	Height	Seat height	Arm height	Width	Seat width	Depth	Seat depth	Weight (kg)
 <p>VAROO65</p>	101	75	—	44	41	47	38	6,5
 <p>VAROO60</p>	91	65	—	41,5	41	43	38	6,2
 <p>VAROO58</p>	101	75	—	41	41	43	38	5
 <p>VAROO80</p>	91	65	—	41	41	43	38	4,8

## METALLIC BASES

							
Black	White	Coffee brown	Stone	Light grey	Mustard	Water green	Marine green
							
Aluminum	Chromo	Rust brown	Rust grey	Rose	Clay orange	Sky blue	Navi blue

	Height	Seat height	Arm height	Width	Seat width	Depth	Seat depth	Weight (kg)
 <p>VAROO3OMA</p>	81,5	44,5	—	46,5	46,5	50	42	5,3
 <p>VAROO95MA</p>	101	75	—	41	41	45,5	38	6,3
 <p>VAROO9OMA</p>	91	65	—	41	41	45,5	38	5,9

## WOODEN BASES



Natural oak



Black



White



Stone



Light grey



Mustard



Water green



Marine green



Coffee brown



Rose




Clay orange



Sky blue



Navi blue


	Height	Seat height	Arm height	Width	Seat width	Depth	Seat depth	Weight (kg)
	81	44	—	48,5	46,5	50	42	6,5

VAROO40


	81	44	—	48,5	46,5	50	42	6,8
---	----	----	---	------	------	----	----	-----

VAROO45


## ALUMINIUM BASES



Black







White



Polished  
aluminium

## BENCH

The benches are produced with 2 to 5 seats. Any one of the seats can be changed for a side table in lacquered MDF, available in a black or white colour. The crossbar is made from steel, with a profile featuring a 70x35mm oval section. The feet are in injection-moulded aluminium and are fitted with levellers in contact with the floor. The structure can be coated in thermoset polyester paint in the colours black, white or RAL 9006 aluminium.

	Height	Seat height	Width	Seat width	Depth	Seat depth	Weight (kg)
	81	44	277	47	43	43	15,4
	81	44	220	47	43	43	12,9
	81	44	163	47	43	43	10,4
	81	44	106	47	43	43	7,9



## ACCESSORIES




### Foldable writing tablet

It is fully foldable and can be dismantled. The joint is in polished cast aluminium. The writing tablet is in 10mm compact board in a black colour. It is available for left- and right-handed users.

The writing tablet is available for the following structure versions:

- Stackable four-leg chair.
- Rod-foot chair.



### Linking clips for rod chairs

They are made from polypropylene for linking rod frame chairs together to form rows.



### Transport trolley

It is made from steel tube and plate. It comes finished in thermoset polyester paint in a RAL 9006 aluminium colour.

## CERTIFICATION & STANDARDS

- European Standard UNE EN 16139-2 and ANSI BIFMA X5.4
- AIDIMA quality control label.

- The quality management system of INCLASS is certified in accordance with ISO 9001:2008 in all the design, manufacturing and sales procedures of its products.

- INCLASS production processes are certified according to environmental ISO 14001:2004 quality standards and are carried out through the reduction of waste and energy consumption in order to minimise any impact on the environment.



## WARRANTY

INCLASS MOBLES S.L. guarantees the products of the collection VARYA against any manufacturing and materials defect up to a period of 5 years from the date of the invoice. All damages caused by misuse, accident as well as those having their cause on the lack of proper maintenance are excluded from this warranty. Natural attrition of fabric and upholstery foam is also excluded from this warranty. The customer must prove the date of purchase of the article with the invoice.

INCLASS replace or repair nonconforming products or components taking over the costs without any other liability.