
Dots Spotlight Floor Lamp by Kettal Studio

kettal

Designer Kettal Studio

Collection Objects

1/3





kettal

Dots

Dots Spotlight Floor Lamp

Guarantee

authorisation.

Under no circumstances will the guarantee be extended for defects caused by insufficient or inadequate maintenance, incorrect use/operation, normal wear, and/or repairs or interventions made by unauthorised third parties without previous written Designer Kettal Studio Collection Objects Reference KS5700600

1/3

Characteristics

Normative compliance	UNE-EN 60598-2-4:199
Module light source	LED
Liquid Ingress Protection (IP)	IP44
Energy efficiency class (C.E.E)	A++
Potencia máxima (W)	5W
Frequency (Hz)	50/60 Hz
Color Temperature (°K)	2700 °K
Luminous Flux (Im)	600 lm
IRC (CRI number)	>80
Luminous efficiency (lm/W)	120 lm/W
Lifetime (h)	>50000

Suitable for both indoor and outdoor use. Foot switch ON/OFF

Test Report IEC 62471:2008 Photobiological security CE Markin test compliance.

LAPP_PRO94ES: UL Cable Recognized Mark Component data sheet

Materials

Body made of injected grey thermo painted aluminium LED lamps. Included transparent waterproof PMMA with UV protection.

Maintenance

Wipe surface with a damp cotton cloth. Avoid direct contact with solvents and oxides.

kettal

Dots Spotlight Floor Lamp

Designer Kettal Studio Collection Objects Reference KS5700600

1/3

Maintenance

Wipe surface with a damp cotton cloth. Avoid direct contact with solvents and oxides.

Colour options Terrain paints Flint Chalk Bone Tuff Mist 734 721 678 103 773 Carbon London Clay Mahogany Lilac Feldspar 729 100 737 104 082 Sepia Terra Rossa Sahara Magma Terracota 088 087 086 085 139 Camomile Cobalt Aquamarine Indigo Jade 106 107 089 094 091 Onyx Juniper Amazon Bronze Corten 101 092 102 093 727 Claystone Sand Storm Pumice Galena Manganese 741 132 131 105 726

kettal