
Half Dome Overhang Floor Lamp by Naoto Fukasawa

kettal

1/3




Because spaces come to life through the objects that adorn them, Kettal has developed a range of exterior decoration and design products.



kettal

Half Dome Overhang Floor Lamp







Lamp head movement



Sensor movement (turn on/off)

Guarantee

Under no circumstances will the guarantee be extended for defects caused by insufficient or inadequate maintenance, incorrect use/operation, normal wear, and/or repairs or interventions made by unauthorised third parties without previous written authorisation.

Characteristics

Normative compliance	UNE-EN 60598-2-4:199
Module light source	LED
Liquid Ingress Protection (IP)	IP44
Energy efficiency class (C.E.E)	A++
Potencia máxima (W)	24W
Frequency (Hz)	50/60 Hz
Color Temperature (°K)	2700 °K
Luminous Flux (Im)	2000 lm
IRC (CRI number)	>90
Luminous efficiency (lm/W)	83 lm/W
Lifetime (h)	>50000

Suitable for both indoor and outdoor use. Movement sensor ON/OFF

UL compliance certificate on internal components

Materials

Body made of extruded grey thermo painted aluminium LED lamps. Included transparent waterproof PMMA with UV protection.

Maintenance

Wipe surface with a damp cotton cloth. Avoid direct contact with solvents and oxides.

Designer Naoto Fukasawa Collection Objects Reference KS5700200

3/3

Maintenance

Wipe surface with a damp cotton cloth. Avoid direct contact with solvents and oxides.

Colour options Terrain paints Flint Chalk Bone Tuff 721 678 103 773 734 Carbon London Clay Mahogany Lilac Feldspar 737 104 082 Sepia Terra Rossa Sahara Magma Terracota 088 086 085 Camomile Cobalt Aquamarine Indigo Jade 106 089 094 091 Onyx Juniper Amazon Bronze Corten 101 092 102 093 727 Claystone Sand Storm Pumice Galena Manganese 741 132 131 105 726